

## Katalog 2008 Rollei

Rolleivision MSC 315 / 325 P / 535 P		35mm Dissolve Projectors
Article	Ident No.	
<p><b>Rolleivision twin MSC 315</b> with 2x S-Heidosmat 2.8/90 mm MC, autofocus, magazine CM 55/50, IR-remote control with laser pointer, 2 lamps 24 V/150 W and mains cable (4.8 mm plug)</p>	38100	
<p><b>Rolleivision twin MSC 315</b> without lenses, with magazine CM 55/50, autofocus, IR-remote control with laser pointer, 2 lamps 24 V/150 W and mains cable (4.8 mm plug)</p>	38102	
<p><b>Rolleivision twin MSC 315</b> as above, but with two AV Apogon lenses 90mm f/2.4 HFT</p>	38106	
<p><b>Rolleivision twin MSC 325 P</b> with 2x AV-Apogon 2.4/90 mm HFT (<i>metal-housing, paired for professional dissolve projection</i>), magazine CM 55/50, autofocus, IR-remote control with laser pointer programme memory chip, 2 lamps 24 V/150 W and mains cable (4.8 mm plug)</p>	38110	
<p><b>Rolleivision twin MSC 325 P</b> without lenses, with magazine CM 55/50, autofocus, IR-remote control with laser pointer, programme memory chip, 2 lamps 24 V/150 W and mains cable (4.8 mm plug)</p>	38112	
<p><b>Rolleivision twin MSC 535 P</b> with 2x AV-Apogon 2.4/90 mm HFT (<i>metal-housing, paired for professional dissolve projection</i>), magazine CM 55/50, autofocus, IR-remote control with built-in laser pointer, audiotape and PC connection, DiaEdit Win software, demo slideshow, programme memory chip, 4 lamps 24 V/250 W and mains cable (4.8 mm plug)</p>	38150	
<p><b>Rolleivision twin MSC 535 P</b> without lenses, with magazine CM 55/50, autofocus, IR-remote control with built-in laser pointer, audiotape and PC connection, DiaEdit Win software, demo slideshow, programme memory chip, 4 lamps 24 V/250 W and mains cable (4.8 mm plug)</p>	38152	

<b>Rolleivision MSC 315 / 325 P / 535 P</b>		<b>35mm Dissolve Projectors</b>
<b>Article</b>	<b>Ident No.</b>	
<b>Rollei AV-lenses</b>		
<b>Rollei AV-Apogon 2.4/90 HFT</b> - set of 2 pcs. ( <i>metal housing, paired for professional dissolve projection</i> )	36992	
<b>Rollei AV-Apogon 2.8/35 mm HFT</b>	36985	
<b>Schneider Kreuznach AV-lenses</b>		
<b>Schneider Vario-Xenotar 3.5/70-120 mm</b>	85149	
<b>Rollei Heidosmat lenses</b>		
<b>Rollei S-Heidosmat 2.8/90 mm</b> ( <i>non metal housing</i> )	36982	
<b>Lens cap</b> for AV-Xenotar 2.8/60 mm, 2.4/90 mm, CF 2.4/90 mm	98706	
<b>Lens cap</b> for Vario-Xenotar 3.5/70-120 mm	98707	
<b>Magazines and accessories</b>		
<b>Stacking boxes</b> with Euro magazine CM 55/50 ( <i>pack of 24 magazines in 12 boxes with special case for memory chip</i> )	63401	
<b>Magazine track prolongation</b> for Rolleivision twin MSC / digital/P ( <i>for RV 66 dual P as well</i> )	26750	
<b>Programme memory chip</b>		
<b>Modul 100</b> ( <i>for approx. 100 slides</i> ) black cover	83784	
<b>Modul 300</b> ( <i>for approx. 300 slides</i> ) red cover	83785	
<b>Accessories for PC control for MSC 300P/ 330P/ 325P/ 535P</b>		
<b>Rollei software DiaEdit Win</b> for PC control incl. Modul ( <i>green</i> )	66994	
<b>Rollei software DiaEdit Win</b> for PC control inkl. Modul ( <i>green</i> ) engl.	66996	
<b>Case for Rolleivision twin MSC</b> ( <i>only for MSC projector</i> ) with compartment for magazine track prolongation, lenses up to 150 mm focal length, mains cable and memory chips	66383	
<b>Stereo set</b> Polarisation filter set for stereo projection ( <i>for MSC 330P, 325P, 535P</i> ) including 2 polarizing filters 2 stereo glasses slides with stereo motives	38130	

Article	Ident No.	
<b>Accessories for recorder control</b>		
<b>Adapter cable for RCP 8/6 pin socket</b> (for use with P 3801, 35 twin, P 66 S and Rolleivision 66/66 AV as well as standard slide projectors from other manufacturers)	64935	
<b>Cables</b>		
<b>Master slave cable</b> (only for MSC 300P/ 330P/ 325P/ 535P)	66992	
<b>Remote control cable</b> for MSC / RV 66 dual P (not for MSC 310)	66960	
<b>Bulbs</b>		
<b>Spare bulb insert</b> MSC-projector-line, with four lamps 24V/150W for easy and fast lamp exchange	66393	
<b>Spare bulb insert</b> MSC-projector-line, with four lamps 24V/250W for easy and fast lamp exchange	38131	

**Rolleivision 66 dual P****Multiformat Slide Projector**

<b>Article</b>	<b>Ident No.</b>	
<b>Rolleivision 66 dual P</b> without lens, with 2 lamps 24 V/250 W, lamp extractor, magazine CM 77/30, mains cable	10784	
<b>Rollei AV-Lens</b>		
<b>Rollei AV-Apogon 2.8/90 mm HFT</b>	14318	
<b>Rollei AV-Apogon 2.8/120 mm HFT</b>	14325	
<b>Rollei AV-Apogon 2,8/150 mm HFT</b>	14328	
<b>Schneider-Kreuznach AV Lenses</b>		
<b>AV-Xenotar 3.5/90 mm HFT</b>	83528	
<b>AV-Xenotar 2.8/150 mm HFT</b>	83512	
<b>AV-Xenotar 4/400 mm HFT (with suppl. condensor)</b>	83655	
<b>Rollei Heidosmat Lenses</b>		
<b>Heidosmat 3.5/180 mm</b>	79468	
<b>Exchange condenser</b> for 35 mm	38530	
<b>Remote control cable</b> for RV 66 dual P	66960	
<b>Magazine and accessories</b>		
<b>Stacking boxes</b> with two interconnectable magazines CM 77/30 (pack of 3)	84059	
<b>Magazin track prolongation</b> set for RV 66 dual P and MSC	26750	
<b>AV-Kit</b> for Rolleivision 66 dual P	20314	
<b>Case for Rolleivision 66 dual P</b>	10782	
<b>Adapter cable for RCP 8/6 pin socket</b> (for Rollei P 66 S, Rolleivision 66/66 AV or standard projectors of other manufacturers)	64935	
<b>Rollei 6x6 magnifier</b> 3x linear magnification with removeable base	59551	

<b>Rolleiflex 2.8 FX/4.0 FW</b>		<b>6x6 TLR Cameras/Classic</b>	
<b>Article</b>		<b>Ident No.</b>	
<b>Rolleiflex 2,8 FX</b> Planar 2.8/80 mm HFT, size III, neckstrap		17000	
<b>Rolleiflex 4,0 FW</b> Twin-lens reflex camera with Super-Angulon 4.0/50 mm HFT, size IV protective lens cap, carrying strap		17003	
<b>Rolleiflex 4,0 FT</b> Tele-twin-lens reflex camera with Tele-Xenar 4/135mm HFT, size IV, protective lens cap, carrying strap		17004	
<b>Accessories for Rolleiflex 2,8 FX, 4,0 FW and 2,8 GX</b>			
<b>Bright matt screen</b> with central split-image wedge and microprism ring ( <i>standard screen</i> )		97069	
<b>Clear glass screen</b>		97054	
<b>Bright matt screen</b> with microprism spot		97074	
<b>Bright matt screen</b> with 4.5x6 indication vertical and horizontal		64911	
<b>HD screen</b> , super-bright screen with horizontal split-image spot and extremely fine texture, 4.5x6 vertical and horizontal indication		10772	
<b>Rollei flash adapter SCA 356</b>		97661	
<b>Soft leather pouch 2,8 GX</b>		11908	
<b>Leather case 2,8 FX</b>		17010	
<b>Leather case 4,0 FW</b>		17011	
<b>Leather case 4,0 FT</b>		17014	
<b>Spare neckstrap 2,8 GX Expression</b>		98272	
<b>Spare neckstrap 2,8 FX, 4,0 FW, 4,0 FT</b>		17002	
<b>General accessories for Rolleiflex 2,8 FX / 4,0 FW/ 4,0 FT / 2,8 GX / 2,8 F</b>			
<b>Metal sunshade III with leather case</b>		17015	
<b>Metal sunshade IV for Rolleiflex 4,0 FW with leather case</b>		17016	
<b>Metal Shunshade IV for Rolleiflex 4,0 FT with leather case</b>		17017	
<b>Colour compensating filter R 1.5 III</b> ( <i>skylight</i> )		96593	
<b>Filter medium yellow III</b>		96427	
<b>Filter Adapter, size III</b>		91810	
<b>Filter Adapter, size IV</b>		91811	
<b>UV-Filter Size III</b>		16345	
<b>UV Filter size IV</b>		16346	
<b>Rolleinar set 1/III with leather case</b>		98801	
<b>Rolleifix tripod quick coupling</b>		96548	
<b>Prism finder 45°</b>		97046	
<b>Prism finder 90°</b>		97048	
<b>Spare lens cap III</b>		78747	
<b>Metal lens cap IV</b>		17022	

<b>Rolleiflex 2.8 FX/4.0 FW</b>		<b>6x6 TLR Cameras/Classic</b>	
<b>Article</b>		<b>Ident No.</b>	
<b>Filterset size III</b>		16343	
<b>Filterset size IV</b>		16344	
<b>Rollei 6x6 magnifier</b> 3x linear magnification with removeable base		59551	
<b>Rolleiflex 6000 System</b>		<b>4.5x6 / 6x6 SLR Cameras</b>	
<b>Rolleiflex 6008 integral2</b> without lens Body with folding viewfinder hood, magazine 6x6/120, HD screen, handgrip, 2nd NiCad accu, 2nd film insert, rapid charger with 2 mains cable ( <i>Euro and US plug</i> ) car battery cable, neckstrap		56651	
<b>Rolleiflex 6008 integral2 body</b> Body with folding viewfinder hood		56650	
<b>Rolleiflex 6008 AF</b> without lens Body with folding viewfinder hood, magazine 6x6/120, HD screen, NiCad accu, rapid charger with mains cable, handgrip, car battery cable, neckstrap		56601	
<b>Rolleiflex 6008 AF Body</b> Body with Viewfinder hood		56600	
<b>Spare neckstrap</b> for 6008 AF, 6008 Int., 6003, 6001 and QZ		10722	
<b>Neckstrap for Hy6</b>		58722	
<b>HY 6 Body with Viewfinder hood</b>		58600	
<b>HY 6 without lens</b> with folding viewfinder, magazin 4560,adapter, neckstrap, battery, charger		58601	

**Rolleiflex 6000 System**
**4.5x6 / 6x6 SLR Cameras**

Article	No.
<b>Interchangeable magazines for Rolleiflex 6008 / 6003 / 6001 / 6006</b>	
<b>Magazine 6x6/120</b>	88798
<b>Magazine 6x6/220</b>	88799
<b>Film insert with case</b>	98004
<b>Magazine 4560</b> turnable (4.5 x 6 cm) <i>for 6008 AF, integral2, integral, 6008 E, 6003 prof., 6001 prof.</i>	14987
<b>Adapter for turnable magazine 4560</b>	10776
<b>Film insert for magazine 4560</b>	14986
<b>Polaroid magazine</b>	97979
<b>Interchangeable magazine for Rolleiflex Hy6</b>	
<b>Magazine 4560</b> turnable (4.5 x 6 cm)	58987
<b>Adapter for turnable magazine 4560</b>	58776

<b>Rolleiflex 6000 System</b>		<b>4.5x6 / 6x6 SLR Cameras</b>	
<b>Article</b>	<b>Ident No.</b>	<b>List Price</b>	
<b>Rollei EL Lenses (Economy Line)</b>			
<b>Distagon 4/50 mm HFT EL - M 67 x 1 (outer bayonet size VI)</b>	86706		
<b>Carl Zeiss PQ lenses*</b>			
<b>Distagon 4/50 mm FLE HFT PQ - size VI</b>	86705		
<b>Planar 2/110 mm HFT PQ - M 95 x 1</b>	86674		
<b>Schneider-Kreuznach PQ lenses</b>			
<b>Super-Angulon 3.5/40 mm HFT PQ - M 77 x 0.75</b>	59439		
<b>Apo-Tele-Xenar 4/300 mm HFT PQ - M 95 x 1</b>	59426		
<b>Variogon 5.6/140-280 mm HFT PQ - M 95 x 1 with lens hood</b>	86913		
<b>Schneider Kreuznach AF-lenses/AFD-lenses</b>			
<b>AF Super-Angulon 2.8/50 mm HFT PQS - M 95 x 1/bay. 104</b>	54080		
<b>AF Xenotar 2.8/80 mm PQS - size VI</b>	54001		
<b>AF Tele-Xenar 2.8/180 mm PQ - M 95 x 1/ bay. 104</b>	54701		
<b>AF Variogon 4.6/60-140 mm PQS - M 122 x 1</b>	54502		
<b>AFD Super-Angulon 2.8/50 mm HFT PQS - M 95 x 1/bay. 104</b>	58080		
<b>AFD Xenotar 2.8/80 mm PQS - size VI</b>	58001		
<b>AFD Tele-Xenar 2.8/180 mm PQ - M 95 x 1/ bay. 104</b>	58701		
<b>Schneider PQS lenses</b>			
with top shutter speed up to 1/1000 sec. only for 6008, 6003 and 6001			
<b>Xenotar 2.8/80 mm HFT PQS - size VI</b>	63350		
<b>Apo-Symmar 4/90 mm HFT PQS - M 95 x 1/bay. 104</b>	63348		
<b>Carl Zeiss PQS lenses*</b>			
with top shutter speed up to 1/1000 sec. only for 6008, 6003 and 6001			
<b>Makro Planar 4/120 HFT PQS - size VI</b>	66300		
<b>Sonnar 4/150 mm HFT PQS - size VI</b>	59602		
<b>Sonnar 5.6/250 mm HFT PQS - size IV</b>	62624		
<i>*Lenses are made by Carl Zeiss, Oberkochen, Germany, or under licence from Carl Zeiss by F&amp;H; Registered Trademark: Rollei HFT</i>			
<b>Teleconverter</b>			
<b>2x Teleconverter HFT</b>	98253		
<b>AF-Converter 1,4x HFT (cannot be used together with wide angle lenses, Planar 2.8/80 mm and Apo-Symmar 4.6/150 mm)</b>	56701		



**Rolleiflex 6000 System**
**4.5x6 / 6x6 SLR Cameras**

Article	Ident No.
<b>View finders</b>	
<b>45° prism for 6008</b>	97814
<b>90° telescopic viewfinder with diopter adjustment (+2/-4) for 6008</b>	62903
<b>Rollei 6x6 magnifier</b>	59551
<b>Frame base for Rollei 6x6 magnifier</b> , together with the upper part of the magnifier a magnifying hood will be created	63048
<b>45° prismfinder for Hy6</b>	58814
<b>Power supply</b>	
<b>Spare NiCad battery</b> only for 6008 AF, integral2, integral, 6008 E, 6003 prof., 6001 prof. and LensControl S (1.25 A/T)	39715
<b>Power Interface</b>	30017
<b>Plug power device 12 V with cable</b>	30019
<b>Accu Hy6</b>	58715
<b>Chargers</b>	
<b>Rapid charger C with discharge mode</b>	98450
<b>Charger Hy6</b>	58450
<b>Remote controls (only for 6008)</b>	
<b>Remote control cable RC 120 - 40 cm</b>	98874
<b>Remote control cable RC 120 - 5 m</b>	97983
<b>Remote control cable RC 120 - 10 m</b>	97984
<b>Flash accessories*</b>	
<b>Rollei dedicated flash adapter SCA 356</b>	97661
<b>Flash adapter SCA 3562</b>	98290
<b>Action handgrip</b> for 6008 and 6003 incl. leather hand strap	59901
<b>Quick focus lever</b> (only for Zeiss lenses 40-350 mm)	98029
<b>Accessories for close ups</b>	
<b>Extension tube 9 mm</b>	97844
<b>Extension tube 17 mm</b>	97868
<b>Extension tube 34 mm</b>	97888

<b>Rolleiflex 6000 System</b>		<b>4.5x6 / 6x6 SLR Cameras</b>	
<b>Article</b>		<b>Ident No.</b>	
<b>Extension tube 67 mm</b> <i>(specially designed for Apo-Symmar 4.6/150 mm)</i>		62069	
<b>Variable extension tube 22 mm to 68 mm</b>		25857	
<b>Extension bellows (67 mm to 204 mm)</b>		98065	
<b>Retro adapter (bayonet size VI)</b>		98410	
<b>Focusing screens</b>			
<b>Bright matt screen</b> with central split-image wedge and microprism ring <i>(standard screen for 6003 professional)</i>		97069	
<b>HD screen</b> , super-bright screen with horizontal split image spot and extremely fine texture		10772	
<b>Bright matt screen</b> 4.5x6 vertical and horizontal indication		64911	
<b>Bright matt screen</b> with microprism spot		97074	
<b>Clear glass screen</b>		97054	
<b>AF- High-D-Screen</b>		56704	
<b>Filters for colour</b>			
<b>Colour compensating filter R 1.5 (skylight)</b> - size VI		96803	
<b>Colour compensating filter R 1.5 (skylight)</b> - size M 95 x 1		66739	
<b>Filter UV</b> - size VI		96820	
<b>Filter UV</b> - size M 95 x 1		66741	
<b>Polarizing filter</b>			
<b>Circular pole filter -1.5</b> - size VI		96841	
<b>Circular pole filter -1.5</b> - size M 95 x 1		66742	
<b>Holder for foil filters</b>			
<b>Bay. VI</b> (foil filter size 75 x 75 mm)		96950	
<b>Bay. 104</b> (foil filter size 100 x 100 mm) for Apo-Symmar 4/90 or PCS-Super-Angulon 4.5/55 mm		98233	
<b>Lens hoods</b>			
<b>Super-Angulon 3.5/40 mm</b>		60472	
<b>PCS-Super-Angulon 4.5/55 mm, Super Angulon 2.8/50 mm</b> - bay. 104		58242	
<b>Distagon 50 mm and 60 mm, Curtagon 60 mm</b> - size VI		96752	
<b>Planar, Sonnar, Xenotar, 80 - 250 mm</b> - size VI		96741	
<b>Tele-Xenar 2.8/180 mm</b> - bay. 104		98839	
<b>Professional bellows lens hood (with rear slot for 75 x 75 mm foil filter)</b>		98080	
<b>Distagon 4/40 mm FLE</b>		55097	
<b>AF-Variogon 4.6/60-140 mm</b>		56706	
<b>Protective caps</b>			
<b>Camera body, front</b>		88058	
<b>Camera body, rear</b>		87927	
<b>Cover for magazine</b>		88967	

<b>Rolleiflex 6000 System</b>		<b>4.5x6 / 6x6 SLR Cameras</b>	
<b>Article</b>		<b>Ident No.</b>	
<b>Front lens cap 50 - 250 mm - size VI</b>		82501	
<b>Front lens cap - bay. 104</b>		87007	
<b>Front lens cap 4/40 mm (compact version)</b>		98843	
<b>Rear lens cap</b>		87005	
<b>Front lens cap AF-Variogon (metal)</b>		54508	
<b>Rollei X-Act<sub>2</sub></b>		<b>Professional Camera</b>	
<b>X-Act<sub>2</sub></b> incl. bellows, lens and rear panel, optical bench base slide and systainer		10742	
<b>Wide angle bellows for X-Act<sub>2</sub></b>		98965	
<b>PanShot (swivelling device)</b>		22493	
<b>Adapter for using X-Act in combination with other backs than Rollei</b>			
<b>Basic adapter (for using other backs)</b>		98955	
<b>Sliding adapter (for using other backs)</b>		99090	
<b>Adapter for Hasselblad</b>		98959	
<b>Adapter for Mamiya RB67</b>		98957	
<b>Adapter for Horseman 6x9</b>		98958	
<b>Adapter for digital backs of Jenoptik (LOS) Eyelike MF, Heidelberger Colorcam</b>		32250	
<b>Viewfinder adapter for use without Panshot*</b>		98927	
<i>* = Basic or sliding adapter necessary</i>			
<b>Extension tube 50 mm</b> for usage with professional lens up to 150 mm with X-Act <sub>2</sub>		98926	
<b>T-2 adapter X-Act<sub>2</sub></b> for usage 35 mm camera body		99100	
<b>Folding finder hood</b>		56900	
<b>HD screen</b>		10772	
<b>Rollei magnifier 6x6</b>		59551	
<b>Frame base for Rollei 6x6 magnifier</b>		63048	
<b>Prism finder 45° system 6000</b>		97814	
<b>LensControl S</b>		64872	

Article	Ident No.
<b>Flexible arm including ballhead</b> for fixing Lenscontrol S to X-Act cameras	64875
<b>NiCd accu 10V 1,25 A/T</b>	39715
<b>Power interface</b>	30017
<b>Plug power device 12 V with cable</b>	30019
<b>Battery Box</b> with 5 Lithium batteries	30036
<b>Rapid charger C</b>	98450
<b>Trickle charging cable</b>	64871
<b>Rollei Electronic Shutter size 0</b>	98989
<b>Rollei Electronic Shutter size 1</b>	98991
<b>Lens panel adapter for lens shutter Copal size 0</b>	98987
<b>Lens panel adapter for lens shutter Copal size 1 and</b> for Rollei Electronic Shutter size 0 + 1	98988
<b>Wide-angle plate X-Act<sub>2</sub></b> for usage of wide angle lenses/professional lenses 45 and 60 mm	99101
<b>Rollei lens adapter system 6000</b>	12782
<b>Magazine 4560 (turnable)</b>	14987
<b>Adapter for magazine 4560</b>	10776
<b>Connecting cable for magazine</b>	36700
<b>Connecting cable for digital backs</b>	36705
<b>Connecting cable for Phase One H- and P-series</b>	64878

Professional Lenses	Rollei X-Act	
Article	Ident No.	
Following professional lenses from Rodenstock/Linos and Schneider Kreuznach are available with the Rollei electronic shutter size 0 or 1		
<b>Rodenstock/Linos</b>		
Apo-Sironar digital - 4.5/55 mm - size 0	98993	
Apo-Sironar digital HR - 4/60 mm - size 0	99060	
Apo-Sironar digital - 5.6/90 mm - size 0	98995	
Apo-Sironar digital HR - 4/100 mm - size 0	99061	
Apo-Macro-Sironar digital - 5.6/120 mm - size 0	99009	
Apo-Sironar digital - 5.6/105 mm - size 0	98996	
Apo-Sironar-S - 5.6/135 mm - size 0	99000	
Apo-Grandagon - 4.5/45 mm - size 0	99001	
Apo-Grandagon - 4.5/55 mm - size 0	99002	
Grandagon-N - 4.5/65 mm - size 0	99003	
Grandagon-N - 4.5/75 mm - size 0	99004	
Grandagon-N - 4.5/90 mm - size 1	99006	
Grandagon-N - 6.8/90 mm - size 0	99007	
<b>Schneider-Kreuznach</b>		
Digitar - 2.8/28 mm - size 0	99010	
Digitar - 5.6/47 mm - size 0	99011	
Digitar - 4/60 mm - size 0	99012	
Digitar - 4/80 mm - size 0	99013	
Digitar - 4.5/90 mm - size 0	99014	
Digitar - 5.6/100 mm - size 0	99056	
Apo-Makro-Digitar - 5.6/80 mm - size 0	99054	
Apo-Makro-Digitar - 5.6/120 mm - size 0	99015	
Apo-Digitar - 5.6/120 mm - size 0	99055	
Super-Angulon XL - 5.6/38 mm - size 0	99062	
<b>Further professional lenses (also in Copal shutter) upon request</b>		
Scheimpflug calculator	99058	